


# JIC 37° Flare-Twin®

**Bulkhead Union**  
(Ref. SAE No. 070601)  
Assembly Number  
C35325x4, etc.



TUBE O.D.	CATALOG NUMBER
3/16	C5325x3
1/4	C5325x4
5/16	C5325x5
3/8	C5325x6
1/2	C5325x8
5/8	C5325x10
3/4	C5325x12
3/4	C5325x12BN
1	C5325x16
1-1/4	C5325x20


\*5337x  
For bulkhead nut see page 270.  
Included with assembly.

**Adapter**



TUBE O.D.	INVERTED THREAD	CATALOG NUMBER
1/4	7/16-24	C5880x4
5/16	1/2-20	C5880x5
3/8	5/8-18	C5880x6
1/2	3/4-18	C5880x8

**Female Bulkhead Connector**  
Assembly Number  
C35725x4, etc.



TUBE O.D.	FEMALE PIPE THREAD	CATALOG NUMBER
1/4	1/8	C5275x4
3/8	1/4	C5275x6
1/2	3/8	C5275x8
5/8	1/2	C5275x10
3/4	3/4	C5275x12
1	1	C5275x16

For bulkhead nut see page 270.  
Included with assembly.

**Male Connector**  
(Ref. SAE No. 070102)  
Assembly Number  
C35205x4, etc.



TUBE O.D.	MALE PIPE THREAD	CATALOG NUMBER
1/8	1/8	C5205x2
3/16	1/8	C5205x3
1/4	1/8	C5205x4
1/4	1/4	C5205x4x4
1/4	3/8	C5205x4x6
1/4	1/2	C5205x4x8
5/16	1/8	C5205x5
5/16	1/4	C5205x5x4
5/16	3/8	C5205x5x6
3/8	1/8	C5205x6x2
3/8	1/4	C5205x6
3/8	3/8	C5205x6x6
3/8	1/2	C5205x6x8
1/2	1/4	C5205x8x4
1/2	3/8	C5205x8
1/2	1/2	C5205x8x8
1/2	3/4	C5205x8x12
5/8	3/8	C5205x10x6
5/8	1/2	C5205x10
5/8	3/4	C5205x10x12
3/4	1/2	C5205x12x8
3/4	3/4	C5205x12
3/4	1	C5205x12x16
7/8	3/4	C5205x14
1	3/4	C5205x16x12
1	1	C5205x16
1	1-1/4	C5205x16x20
1-1/4	1	C5205x20x16
1-1/4	1-1/4	C5205x20
1-1/2	1-1/4	C5205x24x20
1-1/2	1-1/2	C5205x24
2	2	C5205x32

\*5217x

\*Stainless steel catalog number. □ Standard part is bagged and includes nut.  
□ Available in Stainless Steel.

## Equipment

### Coll-O-Crimp T-605VS



Refer to safety information regarding Coll-O-Crimp hose, hose fittings and assembly equipment compatibility on page 3.



Refer to page 141 for Coll-O-Crimp tooling and tooling packages.

The T-605VS is designed for high-speed production crimping of hydraulic and fluid transfer hose assemblies. Equipped with Weatherhead "bump-and-skirt" dies, the T-605VS produces OEM-quality crimps on Weatherhead 'U', '430U' and 'E' series hose ends. Optional flat-crimp dies allow crimping of other Weatherhead hose ends and Weatherhead "Wolf" Couplings.

**Capacity:** 3/16" I.D. fiber-braid through 2" 6-spiral hydraulic, pneumatic and fluid transfer hoses

**Mounting:** Tool Stand or Bench Mount

**Weight:** 293 lbs.

**Standard Voltage:** 230 three-phase

**T-605VS-1 • Variable Crimp System ONLY!**

#### T-605VS • T-605 Crimping System Package

Includes one each of the following:

CATALOG NUMBER	DESCRIPTION
T-605VS-1	Variable Crimp System
T-605-CS	QC Tool Stand
T-605-80FP	Complete Set (17) Dies for Flat Crimp
T-605-104U	'U' Series, 'S' Series and 265 'P' Series Die Sets
T-605-430U	430 'U' Series Die Set

#### T-605VS-U • T-605 Crimping System Package

Includes one each of the following:

CATALOG NUMBER	DESCRIPTION
T-605VS-1	Variable Crimp System
T-605-CS	QC Tool Stand
T-605-104U	'U' Series, 'S' Series and 265 'P' Series Die Sets
T-605-430U	430 'U' Series Die Set

#### T-605VS-B • T-605 Crimping System Package

Includes one each of the following:

CATALOG NUMBER	DESCRIPTION
T-605VS-1	Variable Crimp System
T-605-CS	QC Tool Stand
T-605-80FP	Complete Set (17) Dies for Flat Crimp


#### Additional T-605 Crimping System Parts:

CATALOG NUMBER	DESCRIPTION
T-605-CS	QC Tool Stand
T-605-TH	Tool Holder - Wall or Floor Mounted
T-605-DH	Quick Change Die Holder
T-605-DP	Set of retaining Pins for Dies

# Equipment

## Assortments

### CA-50 • Coll-O-Crimp Super I Assortment (with Cabinet)



The CA-50 assortment includes everything you need to service your larger hydraulic applications. Five sizes of 2 wire hose and four sizes of 4 wire hose combined with a variety of hose ends and adapters gives you the coverage you need. Included with this

assortment are skiving tools and a 40-drawer cabinet for mounting your press and storage. Also available are assortments with a cut-off saw or less the equipment.

**CA-50:** Includes contents listed below.

**CA-50-CO:** Includes contents listed below less equipment and cabinet.

**CA-50-NH:** Includes contents listed below less hose.

**CA-50-60A:** Includes contents listed below plus T-60A Saw.

### CA-50 Contents

CATALOG NUMBER	QTY.	CATALOG NUMBER	QTY.	CATALOG NUMBER	QTY.	CATALOG NUMBER	QTY.
04U-102	5	08U-512	5	43012U-G12	1	C5205X4	4
04U-104	10	08U-608	10	43012U-G42	1	C5205X4X4	2
04U-106	5	08U-610	5	43012U-G72	1	C5205X6	4
04U-504	5	08U-612	5	43016U-116	2	C5205X6X6	4
04U-506	5	08U-668	5	43016U-616	2	C5205X8	4
04U-604	10	08U-670	5	43016U-G16	1	C5205X8X8	4
04U-605	5	08U-688	5	43016U-G46	1	C5205X10	2
04U-606	5	08U-758	5	43016U-G76	1	C5205X12	2
04U-664	5	08U-760	5	43020U-120	1	C5205X16	1
04U-604	5	08U-J08	5	43020U-620	1	C5315X8	1
04U-J04	5	08U-P08	5	43020U-G20	1	C5405X6	2
08U-104	10	08U-P10	5	43020U-G50	1	C5405X6X6	2
08U-106	10	12U-112	10	43020U-G80	1	C5405X8	2
08U-108	5	12U-116	2	9205X2X2	5	C5405X8X8	2
08U-406	5	12U-412	5	9205X4X4	5	C5405X10	1
08U-506	5	12U-512	5	9205X6X6	5	C5515X8	1
08U-508	5	12U-610	5	9205X6X8	5	H24504	50'
08U-604	5	12U-612	10	9205X8X6	5	H24506	50'
08U-606	10	12U-614	5	9205X8X8	5	H24508	50'
08U-608	5	12U-616	2	9205X12X12	2	H24512	50'
08U-610	5	12U-672	2	9205X16X16	1	H24516	50'
08U-666	5	12U-692	2	9405X4X4	5	H43008	50'
08U-668	5	12U-J12	5	9405X6X6	5	H43012	50'
08U-755	5	16U-116	5	9405X8X8	5	H43016	50'
08U-756	5	16U-516	2	9405X12X12	2	H43020	50'
08U-B06	5	16U-616	5	9405X16X16	1	T-420-N	1
08U-B66	5	16U-676	1	C-40X	1	FS-1100	1
08U-J06	5	16U-J16	1	C5105X4	2	FS-100	1
08U-J08	5	43008U-108	2	C5105X6	2	FS-200	1
08U-P08	5	43008U-608	2	C5105X8	2	FS-3100	1
08U-106	5	43008U-G08	1	C5105X12	1		
08U-108	10	43008U-G41	1	C5165X4	10		
08U-112	5	43008U-G71	1	C5165X6	10		
08U-508	5	43012U-112	2	C5165X8	10		
08U-510	5	43012U-612	2	C5165X12	5		