

**Steel Brake Lines for Domestic Vehicles
Standard Flare – “S” Series**


NOTE: 3/16" and 1/4" tube assemblies have one long (7896x) and one short (105x) inverted nut.

Length	Catalog Number 3/16" O.D.	Catalog Number 1/4" O.D.	Catalog Number 5/16" O.D.	Catalog Number 3/8" O.D.
6"	S306	—	—	—
8"	S308	S408	—	—
10"	S310	—	—	—
12"	S312	S412	S512	S612
20"	S320	S420	S520	S620
30"	S330	S430	S530	S630
40"	S340	S440	S540	S640
51"	S351	S451	S551	S651
60"	S360	S460	S560	S660
72"	S372	—	—	—
UNION	302x3	302x4	302x5	302x6

**Steel Brake Lines for Imported Vehicles
Standard Flare – “SJ” Series**

Bubble Flare – “SB” and “SC” Series



*Uses bubble flare
**Single notch on hex

Length	British Vehicles* 3/8-24 Thread Catalog Number 3/16" O.D.	Japanese Vehicles 10-1.0mm**Thread Catalog Number 3/16" O.D.	European Vehicles* 10-1.0mm Thread Catalog Number 3/16" O.D.
8"	SB308	SJ308	SC308
12"	SB312	SJ312	SC312
20"	SB320	SJ320	SC320
30"	SB330	SJ330	SC330
40"	SB340	SJ340	SC340
51"	SB351	SJ351	SC351
60"	SB360	SJ360	SC360
UNION	7940	7934A	7941

Brake Line Unions for Domestic and Imported Vehicles


Description	Catalog No.
3/16" line to 3/16" line (3/8-24 thread), (Standard Flare) 'S' Series	302x3
1/4" line to 1/4" (7/16-24 thread), (Standard Flare) 'S' Series	302x4
5/16" line to 5/16" line (1/2-20 thread), (Standard Flare) 'S' Series	302x5
3/8" line to 3/8" line (5/8-18 thread), (Standard Flare) 'S' Series	302x6
British line to British line (3/8-24 thread), (ISO flare) 'SB' Series (Steel)	7940
European line to European line (10-1.0mm thread), (Bubble Flare) 'SC' Series (Steel)	7941
Japanese line to Japanese line (10-1.0mm thread), (Standard Flare) 'SJ' Series (Brass)	7934A

Refer to safety information on page 1 & 2.



SAE Straight Thread O-Ring Boss Tapping and Counterboring Tools

These Weatherhead precision counterborer and tap tools are available in the full range of sizes. They provide the correct SAE contour and UNF-2B threads for proper containment of Weatherhead Flareless '7000' Series Ermeto® and Weatherhead Flare-Twin® straight-thread o-ring tube fittings.

Thread Tap Catalog No.	UNF-2B Thread Size of Thread Tap	Drill Size	For Fitting Size	For Tube O.D.	Counter-Borer Catalog No.
T-5002	5/16-24	I	2	1/8	T-5102
T-5003	3/8-24	O	3	3/16	T-5103
T-5004	7/16-20	W	4	1/4	T-5104
T-5005	1/2-20	29/64	5	5/16	T-5105
T-5006	9/16-18	1/2	6	3/8	T-5106
T-5008	3/4-16	11/16	8	1/2	T-5108
T-5010	7/8-14	51/64	10	5/8	T-5110
T-5012	1-1/16-12	31/32	12	3/4	T-5112
T-5014	1-3/16-12	1-3/32	14	7/8	T-5114
T-5016	1-5/16-12	1-7/32	16	1	T-5116
T-5020	1-5/8-12	1-17/32	20	1 1/4	T-5120
T-5024	1-7/8-12	1-25/32	24	1 1/2	T-5124
T-5032*	2-1/2-12	2-27/64	32	2	T-5132*

*Special order only.



RG-24 • Hydraulic O-Ring Assortment

Weatherhead's RG-24 is your solution to storing a useful inventory of hydraulic o-rings. This kit contains o-rings for Weatherhead's straight thread and FOR-SEAL® tube fitting applications as well as popular (code 61) split flange hydraulic applications. The RG-24 comes enclosed in a handy steel case with a carrying handle. Consider an RG-24 for an over-the-counter sales merchandiser or keep one in your equipment shop or maintenance trailer to prepare for those critical "got-to-have-it" applications.

Twenty-four individual compartments keep your hydraulic o-ring inventory separated by part number, and labelled illustrations on the inside of the assortment prevent the mix-up of o-rings. Compact, organized and reasonably priced, if you specialize in hydraulic applications which call for o-rings - we've got your number - RG-24.

RG-24 • O-Ring Assortment Contents

Part Number	Split Flange Quantity	Part Number	FOR-SEAL® Quantity	Part Number	Straight Thr. Quantity
8x252	12	4629x4	12	7629x4	12
12x252	12	4629x6	12	7629x5	12
16x252	12	4629x8	12	7629x6	12
20x252	12	4629x10	12	7629x8	12
24x252	12	4629x12	12	7629x10	12
32x252	12	4629x16	12	7629x12	12
		4629x20	12	7629x16	12
		4629x24	12	7629x20	12
				7629x24	12
				7629x32	12

O-rings conform to SAE J515 Type CH.



BA-84 • STEEL BRAKE LINE ASSORTMENT

The BA-84 attractive lobby merchandiser displays domestic as well as import car (British, European and Japanese) steel brake lines. The BA-84 puts brake lines where users can make fast and easy selection from a complete inventory protected by sturdy cardboard color-coded tubes.

The corrosion and vibration resistant double wall steel brake lines are easily formed into the configurations you need without kinking. Longer or non-standard lengths can be made up by joining two lines with a Weatherhead union of the proper thread size.

The BA-84 includes all sizes of the 3/16", 1/4" and 5/16" Weatherhead steel brake lines for domestic cars and trucks plus a sturdy steel rack. Order the SB series (Jaguar, M.G., Triumph), SC series (BMW, Mercedes, Peugeot, Porsche, Volkswagen), SJ series (Mazda, Nissan, Toyota) and Weatherhead import car steel brake lines and unions from listings in brake line section of this catalog. See page 128.

Increase your sales — Organize your inventory — Make selections easy — Discover the results of putting this proven money maker to work for you — Install a BA-84 NOW.

3/16" LINES			1/4" LINES		
Length	Catalog Number	Quantity	Length	Catalog Number	Quantity
6"	S306	4	12"	S412	4
8"	S308	4	20"	S420	4
12"	S312	4	30"	S430	4
20"	S320	4	40"	S440	4
30"	S330	4	51"	S451	4
40"	S340	4	60"	S460	4
51"	S351	4			
60"	S360	4			
72"	S372	4			

5/16" LINES					
Length	Catalog Number	Quantity	Length	Catalog Number	Quantity
12"	S512	4	Rack	BA-84X	1
20"	S520	4			
30"	S530	4			
40"	S540	4			
51"	S551	4			
60"	S560	4			