## Coll-O-Crimp Portable T-465



Refer to safety information regarding Coll-O-Crimp hose, hose fittings and assembly equipment compatibility on page 3.

### Portable Coll-O-Crimp



Reference pages 356-366 for Coll-O-Crimp tooling, tooling packages and pumps.

Refer to safety information regarding Coll-O-Crimp crimping procedures on page 331.

The Portable Coll-O-Crimp is a completely PORTABLE hose assembly system. NO ELECTRICAL POWER SOURCE IS NEEDED. Hand pump powered, lightweight, vise or stand mounted, this crimper is ideal for your portable crimping needs.

Capacity: 3/16" I.D. 1 fiber braid through 1-3/8" I.D. 1 wire hose and 1-1/4" 2 wire hose

# Mounting: Vise/Stand

Size: 12-1/2" high, 8-1/2" wide, 5-1/2" deep

Weight: 31 lbs.

The vise bracket, die ring, pusher, decal and instruction kit are components of the T-465 Portable Coll-O-Crimp Press.

Pump Required (sold separately): T-460-2

T-465 · Portable Coll-O-Crimp Press ONLY

# A CAUTION

Use T-460-2 10,000 PSI hand pump only.

## A CAUTION

The Coll-O-Crimp power source has the pressure relief valve set at 10000 PSI. Damage to the press will result if higher pressures are used and warranty will be voided.

### T-465-HP • Portable Coll-O-Crimp Package

#### Includes one each of the following:

C/	AT.	ALC	OG	
N	J١	/IBE	R	_

NUMBER	DESCRIPTION	
T-465	Portable Coll-O-Crimp Press	
T-460-2	Hand Pump (10,000 PSI)	
T-450-3	Quick Disconnect Hose Assembly	

For replacement pump see page 363-365.

### T-465 HPU • Portable Coll-O-Crimp Package

#### Includes one each of the following:

## CATALOG

NUMBER	DESCRIPTION	
T-465-HP	Portable Coll-O-Crimp Package	
T-400-2C	'U' Series Collet – 1/4"	
T-400-3C	'U' Series Collet – 3/8"	
T-400-4C	'U' Series Collet - 1/2"	
T-400-10	Black Spacer Ring	
T-400-62	Yellow Spacer Ring	

### T-465-HP80 • Portable Coll-O-Crimp Package

### Includes one each of the following:

NUMBER	DESCRIPTION	
T-465-HP	See above for contents.	
T-80	Coll-O-Cut Portable Saw	

#### T-465 HPU80 • Portable Coll-O-Crimp Package

### Includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-465-HPU	See above for contents.	
T-80	Coll-O-Cut Portable Saw	

329

## Coll-O-Crimp Portable T-460 & T-462



Refer to safety information regarding Coll-O-Crimp hose, hose fittings and assembly equipment compatibility on page 3.

# T-464 • Portable Coll-O-Crimp



For T-460 Tool Box see page 374.

Refer to pages 356-366 for Coll-0-Crimp tooling, tooling packages and pumps.

Refer to safety information regarding Coll-0-Crimp crimping procedures on pages 333-334.

The T-460 is a completely portable hose assembly system. Lightweight, hand pump powered, and complete with a self-supporting base, this crimping press features layback positioning up to a 45° angle.

Capacity: 3/16" I.D. 1 fiber braid through 1-3/8" I.D. 1 wire hose and 1-1/4" 2 wire hose

Mounting: Free standing base

Size: 15" high, 14" wide, 11-1/4" deep

Weight: 62 lbs.

# T-464 • Portable Coll-O-Crimp Package Includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-460	Portable Coll-O-Crimp Press, Hand Pump & Hose Assembly Kit, T-460-M Instructions	
T-400-2C	'U' Series Collet - 1/4"	
T-400-3C	'U' Series Collet – 3/8"	
T-400-4C	'U' Series Collet - 1/2"	
T-400-10	Black Spacer Ring	
T-400-62	Yellow Spacer Ring	

#### Repair and Replacement Items

CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
T-460-M	Instructions	T-460-P	Pusher
T-460-SPR	Slide Pull Rod	T-460-SF	Slide Flange
T-460-16	Hose Assembly	T-460-SP	Slide Plate
T-460-2	Hand Pump	T-460-SPK	Slide Pull Knob
T-460-E	Shroud Decal		

For replacement pump see page 363-365.

# T-466 • Portable Coll-O-Crimp



For T-462 Tool Box see page 373.

Refer to pages 356-366 for Coll-O-Crimp tooling, tooling packages and pumps.

Refer to safety information regarding Coll-O-Crimp crimping procedures on pages 333-334.

This portable Coll-O-Crimp features an air/hydraulic pump making it the ideal system if you have the availability of compressed air in your shop or in the field via a portable compressor.

Capacity: 3/16" I.D. 1 fiber braid through 1-3/8" I.D. 1 wire hose and 1-1/4" 2 wire hose.

Mounting: Free standing

Size: 15" high, 14" wide, 11-1/4" deep

Weight: 62 lbs.

# T-466 • Portable Coll-O-Crimp Package Includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-462	Portable Coll-O-Crimp Press, Air/Hydraulic Pump & Hose Assembly Kit, T-460-M Instructions	
T-400-2C	'U' Series Collet - 1/4"	
T-400-3C	'U' Series Collet – 3/8"	
T-400-4C	'U' Series Collet - 1/2"	
T-400-10	Black Spacer Ring	
T-400-62	Yellow Spacer Ring	

### Repair and Replacement Items

CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
T-460-M T-460-P	Instructions Pusher	T-460-SPK T-460-SPR	Slide Pull Knob Slide Pull Rod
T-460-SF	Slide Flange	T-462-16	Hose Assembly
T-460-SP	Slide Plate	T-462-V	Regulator only
T-462-E	Shroud Decal	T-462-2	Air/Hydraulic Pump
140-06675	Air Regulator Kit	4.6	

For replacement pump see page 363-365.

## Coll-O-Crimp T-400



Refer to safety information regarding Coll-O-Crimp hose, hose fittings and assembly equipment compatibility on page 3.

### Coll-O-Crimp T-400



Packages continued on next page.

Refer to pages356-367 for Coll-O-Crimp tooling, tooling packages and pumps.

Note: 25 ton (T-400-1 is C-O-C press only)



Refer to safety information regarding Coll-O-Crimp crimping procedures on page 345.

# **↑** CAUTION

The Coll-O-Crimp power source has the pressure relief valve set at 4000 to 4200 PSI. Damage to the press will result if higher pressures are used and warranty may be voided.

The Coll-O-Crimp I is the time-proven 'Mini-Factory' that you can easily set up in your own shop. Fast, easy, compact and various power sources available make this crimper versatile for even the smallest of workshops.

Capacity: 3/16" I.D. 1 fiber braid through 1-3/8" I.D. 1 wire hose and 1-1/4" I.D. 2 wire hose.

Mounting: Bench; FH-135X or C40X Cabinet.

For cabinets see pages 370-373.

Size: 16-1/4" high, 8" wide, 21-3/4" deep

Weight: 113 lbs.

# T-400 • Coll-O-Crimp I Package Includes one each of the following:

CATALOG NUMBER	DESCRIPTION
T-400-1	Coll-O-Crimp Press, T-400-BB Switch, and T-400-M Instructions
T-400-2C	'U' Series Collet - 1/4"
T-400-3C	'U' Series Collet - 3/8"
T-400-4C	'U' Series Collet - 1/2"
T-400-5C	'U' Series Collet - 3/4"
T-400-6C	'U' Series Collet – 1"
T-400-10	Spacer Ring - Black
T-400-11	Spacer Ring - Silver
T-400-62	Spacer Ring - Yellow
T-400-16**	36" T-421U Pump to Press Hose Assembly
T-400-8	Die Ring

Pump Required (sold separately): T-421U, T421U-110, T-402-2 or T-403-2 see pages 345-347.

""Not supplied when ordering a T-402 or T-403 package.

## T-400 Coll-O-Crimp | Press/Pump Packages

The T-400 Coll-O-Crimp Press and tooling package can be supplied with a variety of power units for your particular needs. Listed below are press/power unit packages. For cabinets see pages 371-374.

# T-401 • C-O-C I & 220v Electric Pump Package Includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-400	Press and tooling package	
T-421U	Electric Pump (220v, 1 phase)	

# T-401-110 • C-O-C I & 110v Electric Pump Package Includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-400	Press and tooling package	
T-421U-110	110v, 1 Phase Pump	

# T-402 • C-O-C I & Air/Hydraulic Pump Package Includes one each of the following:

NUMBER	DESCRIPTION	
T-400	Press and tooling package/Less T-400-16	
T-402-2	Air/Hydraulic Pump	
T-400-18	108" Hose assembly and fittings	

## Collet Kits



Refer to safety information regarding Coll-O-Crimp hose, hose fittings and assembly equipment compatibility on page 3.



Refer to Hose End and tool Selector chart at the back of this catalog for proper spacer rings.

#### T-480-80 • 'U' and 430 'U' Series Collet Kit

This kit can be used with the following C-O-C systems: T-420-1, and T-480 ONLY.

#### Kit includes one each of the following:

CATALOG NUMBER	DESCRIPTION
T-400-2C	Collet - 1/4"
T-400-3C	Collet - 3/8"
T-400-4C	Collet - 1/2"
T-400-5C	Collet - 3/4"
T-400-6C	Collet - 1"
T-400-10	Spacer Ring - Black
T-400-11	Spacer Ring - Silver
T-400-62	Spacer Ring - Yellow
T-420-25	Adapter Ring for T-400 Series Collets
T-420-4CN	Collet - 1/2"
T-420-5CN	Collet - 3/4"
T-420-6CN	Collet - 1"
T-420-7CN	Collet - 1-1/4"

#### 265 'P' Series Collets

For Hose Styles: H265, H275 and H285

These collets can be used with all C-O-C systems.

T-400-2C is used for crimping 1/4" and 3/8" hose and fittings. T-400-3C is used for crimping 1/2" hose. T-400-64C is used for crimping 3/4" hose and fittings.

#### Kit includes one each of the following:

NUMBER	DESCRIPTION	
T-400-2C	Collet - 1/4"	
T-400-3C	Collet - 3/8*	
T-400-64C	Collet - 5/8"	

Note: See Hose End and Tool Selector Chart in the back of this catalog for proper Collet selection for hose style and size desired.

Note: Collets may be order individually.

#### T-410-27 • Conversion Kit

For use if you have collets used on our smaller T-400 Coll-O-Crimp I and you are upgrading to a Coll-O-Crimp II Plus.

The Eaton tools listed below are offered in kits for any given hose type. For example, if you have a Coll-O-Crimp II Plus press and desire to be in the rubber hose business, order T-410-27 conversion kit and T-400-67 for all the collets needed to crimp rubber hose. Collets and tools may also be purchased individually by catalog number.

Example:

If you desire to crimp hose other than 4 or 6 spiral hose, you will need the T-410-25 Adapter Die Ring which is included in the conversion kit above. This ring allows the use of standard Coll-O-Crimp I tooling, in the Coll-O-Crimp II Plus Press.

# Kit includes one each of the following:

CATALOG NUMBER	DESCRIPTION	
T-410-10	Spacer Ring Black	
T-410-11	Spacer Ring Silver	
T-410-25	Adapter Die Ring	
T-410-41	Spacer Ring Yellow	

069 'E' Series Collet • Size 32

This collet can be used for a T-410 and T-440 ONLY.

ATALOG	
UMBER	DESCRIPTION
-410-71C	069 'E' Collet - Collet for 2" size 069 'E' Series ends.

N